Jameco Part number 79089



Jameco Part number 79089

National Semiconductor

Product Status Definitions

Definition of Terms

Data Sheet Identification	Product Status	Definition
Advance Information	Formative or In Design	This data sheet contains the design specifications for product development. Specifications may change in any manner without notice.
Preliminary	First Production	This data sheet contains preliminary data, and supplementary data will be published at a later date. National Semiconductor Corporation reserves the right to make changes at any time without notice in order to improve design and supply the best possible product.
No Identification Noted	Full Production	This data sheet contains final specifications. National Semiconductor Corporation reserves the right to make changes at any time without notice in order to improve design and supply the best possible product.
Obsolete	Not in Production	This data sheet contains specifications on a product that has been discontinued by National Semiconductor Corporation. The data sheet is printed for reference information only.

National Semiconductor Corporation reserves the right to make changes without further notice to any products herein to improve reliability, function or design. National does not assume any liability arising out of the application or use of any product or circuit described herein; neither does it convey any license under its patent rights, nor the rights of others.

Jameco Part number 79089

Table of Contents

Alphanumeric Index viii
Additional Available Linear Devices xii
Industry Package Cross Reference Guide xxvi

Section 1 Audio Circuits

Audio Power Amplifier

Audio Power Amplifiers--Selection Guide 1-4
LM380 Audio Power Amplifier 1-6
LM383/LM383A 7W Audio Power Amplifier 1-10
LM384 5W Audio Power Amplifier 1-14
LM386 Low Voltage Audio Power Amplifier 1-19
LM388 1.5W Audio Power Amplifier 1-24
LM389 Low Voltage Audio Power Amplifier with NPN Transistor Array 1-30
LM390 1W Battery Operated Audio Power Amplifier 1-38
LM391 Audio Power Driver 1-43
LM831 Low Voltage Audio Power Amplifier 1-54
LM1875 20W Audio Power Amplifier 1-66
LM1876 Dual 20W Audio Power Amplifier with Mute and Standby Modes 1-72
LM1877 Dual Audio Power Amplifiers 1-73
LM1896/LM2896 Dual Audio Power Amplifiers 1-78
LM4700 OvertureTM 30W Audio Power Amplifier with Mute and Standby Modes 1-86
LM2876 High-Performance 40W Audio Power Amplifier with Mute 1-87
LM2877 Dual 4W Audio Power Amplifier 1-103
LM2878 Dual 5W Audio Power Amplifier 1-110
LM2879 Dual 8W Audio Power Amplifier 1-117
LM3875 High Performance 56W Audio Power Amplifier 1-124
LM3876 High Performance 56W Audio Power Amplifier with Mute 1-140
LM3886 High-Performance 68W Audio Power Amplifier with Mute 1-156
LM4860 1W Audio Power Amplifier with Shutdown Mode 1-173
LM4861 %p1/2%pW Audio Power Amplifier with Shutdown Mode 1-182
LM4862 350mW Audio Power Amplifier with Shutdown Mode 1-189
LM4880 Dual 200 mW Audio Power Amplifier with Shutdown Mode 1-190

Audio Controls

Audio Control--Selection Guide 1-191
LM1036 Dual DC Operated Tone/Volume/Balance Circuit 1-192
LM1971 µPot 62 dB Digitally Controlled Audio Attenuator with Mute 1-201
LM1972 µPot 2-Channel 78 dB Audio Attenuator with Mute 1-202
LM1973 µPot 3-Channel 76 dB Audio Attenuator with Mute 1-211
LMC835 Digital Controlled Graphic Equalizer 1-220
LMC1982 Digitally-Controlled Stereo Tone and Volume Circuit with Two Selectable Stereo Inputs 1-235
LMC1983 Digitally-Controlled Stereo Tone and Volume Circuit with Three Selectable Stereo Inputs 1-246
LMC1992 Digitally-Controlled Stereo Tone and Volume Circuit with Four-Channel Input-Selector 1-257

Audio Operational Amplifiers

Audio Operational Amplifiers--Selection Guide 1-269
LM387/LM387A Low Noise Dual Preamplifier 1-270
LM833 Dual Audio Operational Amplifier 1-274
LM837 Low Noise Quad Operational Amplifier 1-283
LM6142 Dual and LM6144 Quad High Speed/Low Power 17 MHz Rail-to-Rail Input-Output Operational Amplifiers 1-289

Table of Contents (Continued)

Section 1 Audio Circuits (Continued)
Audio Noise Reduction
Audio Noise Reduction--Selection Guide 1-300
LM1131A/LM1131B/LM1131C Dual Dolby B-Type Noise Reduction Processor 1-301
LM1894 Dynamic Noise Reduction System DNR(R) 1-306
Section 2 Video Circuits
Video Circuits--Selection Guide 2-3
Video--Definition of Terms 2-6
Video Preamplifiers
LM1201 Video Amplifier System 2-8
LM1202 230 MHz Video Amplifier System 2-21
LM1203 RGB Video Amplifier System 2-37
LM1203A 150 MHz RGB Video Amplifier System 2-51
LM1203B 100 MHz RGB Video Amplifier System 2-67
LM1204 150 MHz RGB Video Amplifier System 2-81
LM1205/LM1207 130 MHz/85 MHz RGB Video Amplifier System with Blanking 2-99
LM1208/LM1209 130 MHz/100 MHz RGB Video Amplifier System with Blanking 2-121
LM1212 230 MHz Video Amplifier System with OSD Blanking 2-143
LM1281 85 MHz RGB Video Amplifier System with On Screen Display (OSD) 2-144
CRT Drivers
LM2416/LM2416C Triple 50 MHz CRT Drivers 2-145
LM2418 Triple 30 MHz CRT Driver 2-149
LM2419 Triple 65 MHz CRT Driver 2-153
LM2427 Triple 80 MHz CRT Driver 2-160
Video Special Functions
LM1291 Video PLL System for Continuous Sync Monitors 2-165
LM1295 DC Controlled Geometry Correction System for Continuous Sync Monitors 2-174
LM1391 Phase-Locked Loop 2-183
LM1823 Video IF Amplifier/PLL Detector System 2-188
LM1881 Video Sync Separator 2-195
LM1882 • 54ACT/74ACT715 Programmable Video Sync Generators 2-203
LM2889 TV Video Modulator 2-215
Flat Panel Display Circuits
LM6104 Quad Gray Scale Current Feedback Amplifier 2-224
LM8305 STN LCD Display Bias Voltage Source 2-228
LMC6008 8 Channel Buffer 2-229
High Speed Amplifiers
LM6152 Dual/LM6154 Quad High Speed/Low Power 45 MHz Rail-to-Rail I/O Operational Amplifiers 2-232
LM6161/LM6261/LM6361 High Speed Operational Amplifiers 2-233
LM6162/LM6262/LM6362 High Speed Operational Amplifiers 2-240
LM6164/LM6264/LM6364 High Speed Operational Amplifiers 2-248
LM6165/LM6265/LM6365 High Speed Operational Amplifiers 2-256
LM6171 Voltage Feedback Low Distortion Low Power Operational Amplifier 2-263
LM6181 100 mA, 100 MHz Current Feedback Amplifier 2-277
LM6182 Dual 100 mA Output, 100 MHz Dual Current Feedback Amplifier 2-294
LM7131 Tiny High Speed Single Supply Operational Amplifier 2-315
LM7171 Very High Speed High Output Current Voltage Feedback Amplifier 2-337
High Speed Buffers
LM6121/LM6221/LM6321 High Speed Buffers 2-338
LM6125/LM6225/LM6325 High Speed Buffers 2-344

Table of Contents (Continued)

Section 3 Automotive

Power Switches/Peripheral Drivers

Peripheral Drivers 3-3
Peripheral Drivers Selection Guide 3-4
High Current 3-5
DP7310/DP8310/DP7311/DP8311 Octal Latched Peripheral Drivers 3-6
DS1631/DS3631/DS1632/DS3632/DS1633/DS3633/DS1634/DS3634 CMOS Dual Peripheral Drivers 3-13
DS2003/DS9667/DS2004 High Current/Voltage Darlington Drivers 3-18
DS3658 Quad High Current Peripheral Driver 3-23
DS3668 Quad Fault Protected Peripheral Driver 3-26
DS3680 Quad Negative Voltage Relay Driver 3-29
DS55451/2/3/4, DS75451/2/3/4 Series Dual Peripheral Drivers 3-32
LM1921 1 Amp Industrial Switch 3-44
LM1950 750 mA High Side Switch 3-49
LM1951 Solid State 1 Amp Switch 3-54
LM9061 Power MOSFET Driver with Lossless Protection 3-62
LMD18400 Quad High Side Driver 3-74

Voltage Regulators

Low Dropout Voltage Regulators--Definition of Terms 3-90
Low Dropout Regulators Selection Guide 3-91
LM1577/LM2577 SIMPLE SWITCHER Step-Up Voltage Regulators 3-92
LM2925 Low Dropout Regulator with Delayed Reset 3-114
LM2926/LM2927 Low Dropout Regulators with Delayed Reset 3-120
LM2931 Series Low Dropout Regulators 3-128
LM2935 Low Dropout Dual Regulator 3-136
LM2936 Ultra-Low Quiescent Current 5V Regulator 3-144
LM2937 500 mA Low Dropout Regulator 3-149
LM2940/LM2940C 1A Low Dropout Regulators 3-154
LP2950/A-XX and LP2951/A-XX Series of Adjustable Micropower Voltage Regulators 3-164
LM2984 Microprocessor Power Supply System 3-179

Automotive Application Specific Standard Products

Automotive Application Specific Standard Products 3-192
LM903 Fluid Level Detector 3-193
LM1042 Fluid Level Detector 3-199
LM1815 Adaptive Variable Reluctance Sensor Amplifier 3-206
LM1819 Air-Core Meter Driver 3-210
LM1830 Fluid Detector 3-218
LM1946 Over/Under Current Limit Diagnostic Circuit 3-224
LM1949 Injector Drive Controller 3-235
LM9044 Lambda Sensor Interface Amplifier 3-243
LM2907/LM2917 Frequency to Voltage Converter 3-247

Section 4 Special Functions

Display Drivers
Display Driver Selection Guide 4-3
LSI Display Driver 4-4
DS0026 5 MHz Two Phase MOS Clock Drivers 4-6
DS75491 MOS-to-LED Quad Segment Driver 4-13
DS75492 MOS-to-LED Hex Digit Driver 4-13
DS75494 Hex Digit Driver 4-16

Table of Contents (Continued)

Section 4 Special Functions (Continued)
LM3909 LED Flasher/Oscillator 4-18
LM3914 Dot/Bar Display Driver 4-25
LM3915 Dot/Bar Display Driver 4-40
LM3916 Dot/Bar Display Driver 4-58
MM5450/MM5451 LED Display Drivers 4-78
MM5452/MM5453 Liquid Crystal Display Drivers 4-84
MM5480 LED Display Driver 4-91
MM5481 LED Display Driver 4-95
MM5483 Liquid Crystal Display Driver 4-99
MM5484 16-Segment LED Display Driver 4-102
MM5486 LED Display Driver 4-105
MM58241 High Voltage Display Driver 4-110
MM58341 High Voltage Display Driver 4-115
MM58342 High Voltage Display Driver 4-120
Radio Circuits
LM565/LM565C Phase Locked Loops 4-125
LM567/LM567C Tone Decoders 4-133
LM1596/LM1496 Balanced Modulator-Demodulators 4-139
LM1865 Advanced FM IF System 4-144
LM1868 AM/FM Radio System 4-158
LM1893/LM2893 Carrier-Current Transceiver 4-166
LMC567 Low Power Tone Decoder 4-188
LMC568 Low Power Phase-Locked Loop 4-192
Timers and Oscillators
LM122/LM322/LM3905 Precision Timers 4-196
LM555/LM555C Timers 4-208
LM556/LM556C Dual Timers 4-216
LM566C Voltage Controlled Oscillator 4-220
LMC555 CMOS Timer 4-224
MM5368 CMOS Oscillator Divider Circuit 4-227
MM5369 17 Stage Oscillator/Divider 4-230
Ground Fault Interrupters
LM1851 Ground Fault Interrupter 4-233

Section 5 Surface Mount
Packing Considerations (Methods, Materials and Recycling) 5-3
Board Mount of Surface Mount Components 5-19
Recommended Soldering Profiles--Surface Mount 5-23
AN-450 Small Outline (SO) Package Surface Mounting Methods--Parameters and Their Effect on Product Reliability 5-24
Land Pattern Recommendations 5-35

Section 6 Appendices/Physical Dimensions
Appendix A General Product Marking and Code Explanation 6-3
Appendix B Device/Application Literature Cross-Reference 6-4
Appendix C Summary of Commercial Reliability Programs 6-10
Appendix D Military Aerospace Programs from National Semiconductor 6-11
Appendix E Understanding Integrated Circuit Package Power Capabilities 6-21
Appendix F How to Get the Right Information from a Datasheet 6-26
Physical Dimensions 6-30
Bookshelf
Distributors